

ZBW-Ausgabe 10/2015

Literaturverzeichnis zum Fortbildungsbeitrag Kompositrestaurationen im Seitenzahnbereich: Bulk-Fill-Komposite als sinnvolle Alternative Prof. Dr. Jürgen Manhart

1. Park J, Chang J, Ferracane J et al. (2008) How should composite be layered to reduce shrinkage stress: incremental or bulk filling? *Dent Mater* 24:1501-1505
2. Ilie N, Stawarczyk B (2014) Bulk-Fill-Komposite: neue Entwicklungen oder doch herkömmliche Komposite? *ZMK* 30:90-97
3. Tauböck TT (2013) Bulk-Fill-Komposite. Wird die Füllungstherapie einfacher, schneller und erfolgreicher? *teamwork J Cont Dent Educ* 16:318-323
4. Ferracane JL, Greener EH (1986) The effect of resin formulation on the degree of conversion and mechanical properties of dental restorative resins. *J Biomed Mater Res* 20:121-131
5. Caughman WF, Caughman GB, Shiflett RA et al. (1991) Correlation of cytotoxicity, filler loading and curing time of dental composites. *Biomaterials* 12:737-740
6. Feilzer AJ, De Gee AJ, Davidson CL (1987) Setting stress in composite resin in relation to configuration of the restoration. *J.Dent.Res.* 66:1636-1639
7. Margeas R (2014) New Bulk-Fill Material Simplifies Restorations to One Step. *Inside Dentistry* 10:86-90
8. Margeas RC (2015) Bulk-Fill Materials: Simplify Restorations, Reduce Chairtime. *Compend Contin Educ Dent* 36:e1-e4
9. Czasch P, Ilie N (2013) In vitro comparison of mechanical properties and degree of cure of bulk fill composites. *Clin Oral Investig* 17:227-235
10. Finan L, Palin WM, Moskwa N et al. (2013) The influence of irradiation potential on the degree of conversion and mechanical properties of two bulk-fill flowable RBC base materials. *Dent Mater* 29:906-912
11. Manhart J (2010) Neues Konzept zum Ersatz von Dentin in der kompositbasierten Seitenzahnversorgung. *ZWR Das Deutsche Zahnärzteblatt* 119:118-125
12. Manhart J (2011) Muss es immer Kaviar sein? – Die Frage nach dem Aufwand für Komposite im Seitenzahnbereich. *ZMK* 27:10-15
13. Vogel K, Rheinberger V (2012) Shrinkage and Contraction Force of Bulk-filling and Microhybrid Composites. *J Dent Res* 91, Special Issue A: Abstract #858
14. El-Damanhoury HM, Elsahn NA, Platt JA (2013) Polymerization shrinkage stress kinetics of five bulk-fill resin composites. *J Dent Res Poster Presentation* (Nr. 170786) at the IADR General Session Seattle, March 20-23, 2013
15. Rullmann I, Schattenberg A, Marx M et al. (2012) Photoelastic determination of polymerization shrinkage stress in low-shrinkage resin composites. *Schweiz Monatsschr Zahnmed* 122:294-299
16. Ilie N, Hickel R (2011) Investigations on a methacrylate-based flowable composite based on the SDR technology. *Dent Mater* 27:348-355
17. Dentsply International (2011) SDR Smart Dentin Replacement. *Scientific Compendium*
18. Tauböck TT, Feilzer A, Buchalla W et al. (2012) Effect of photoactivation methods on shrinkage behavior of resin composites. *J Dent Res* 91, Special Issue C: Abstract #517
19. Frankenberger R, Vosen V, Krämer N et al. (2012) Bulk-Fill-Komposite: Mit dicken Schichten einfacher zum Erfolg? *Quintessenz* 65:579-584
20. Vogel K (2011) Geringe Schrumpfung und wenig Schrumpfstress sind entscheidende Grundlage. *DZW Die Zahnarzt Woche Ausgabe* 40/2011:9-12
21. Burtscher P (2011) Von geschichteten Inkrementen zur Vier-Millimeter-Bulk-Fill-Technik – Anforderungen an Komposit und Lichthärtung. *DZW Die Zahnarzt Woche Ausgabe* 39/2011:6-8

22. Facher A, Vogel K, Grabher K et al. (2013) Comparison of flowable composites for bulk filling. J Dent Res Poster Presentation (Nr. 175701) at the IADR General Session Seattle, March 20-23, 2013
23. Ilie N, Bucuta S, Draenert M (2013) Bulk-fill resin-based composites: an in vitro assessment of their mechanical performance. Oper Dent 38:618-625
24. Lassila LV, Nagas E, Vallittu PK et al. (2012) Translucency of flowable bulk-filling composites of various thicknesses. Chin J Dent Res 15:31-35
25. Hickel R (2012) Neueste Komposite - viele Behauptungen. BZB Bayerisches Zahnärzteblatt 49:50-53
26. Frankenberger R, Garcia-Godoy F, Kramer N (2009) Clinical Performance of Viscous Glass Ionomer Cement in Posterior Cavities over Two Years. Int J Dent:Article-ID: 781462
27. Lohbauer U (2010) Dental Glass Ionomer Cements as Permanent Filling Materials? - Properties, Limitations and Future Trends. Materials 3:76-96
28. Hickel R, Ernst CP, Haller B et al. (2005) Direkte Kompositrestaurationen im Seitenzahnbereich - Indikation und Lebensdauer. Gemeinsame Stellungnahme der Deutschen Gesellschaft für Zahnerhaltung (DGZ) und der Deutschen Gesellschaft für Zahn-, Mund- und Kieferheilkunde (DGZMK) aus dem Jahr 2005. Deutsche Zahnärztliche Zeitschrift 60:543-545
29. Scholtanus JD, Huysmans MC (2007) Clinical failure of class-II restorations of a highly viscous glass-ionomer material over a 6-year period: a retrospective study. J Dent 35:156-162
30. Frankenberger R, Biffar R, Fecht G et al. (2012) Die richtige Basisversorgung - Expertenzirkel. Dental Magazin 30:12-24
31. Ilie N, Kessler A, Durner J (2013) Influence of various irradiation processes on the mechanical properties and polymerisation kinetics of bulk-fill resin based composites. J Dent 41:695-702
32. Ferracane J, Alex G, Margeas R (2014) Question: Are Bulk-Fill Composites a Good Idea? Inside Dentistry 10:42-44
33. Condon JR, Ferracane JL (1996) Evaluation of composite wear with a new multi-mode oral wear simulator. Dent Mater 12:218-226
34. Condon JR, Ferracane JL (1997) In vitro wear of composite with varied cure, filler level, and filler treatment. Journal of Dental Research 76:1405-1411
35. Poggio C, Dagna A, Chiesa M et al. (2012) Surface roughness of flowable resin composites eroded by acidic and alcoholic drinks. J Conserv Dent 15:137-140
36. Alshali RZ, Salim NA, Sung R et al. (2015) Qualitative and quantitative characterization of monomers of uncured bulk-fill and conventional resin-composites using liquid chromatography/mass spectrometry. Dent Mater 31:711-720
37. Ilie N, Rencz A, Hickel R (2013) Investigations towards nano-hybrid resin-based composites. Clin Oral Investig 17:185-193
38. Greiwe K, Schottner G (1990) ORMOCERe: Eine neue Werkstoffklasse. FhG-Berichte 2:64-67
39. Manhart J, Hollwich B, Mehl A et al. (1999) Randqualität von Ormocer- und Kompositfüllungen in Klasse-II-Kavitäten nach künstlicher Alterung. Deutsche Zahnärztliche Zeitschrift 54:89-95
40. Wolter H, Storch W (1992) Neuartige Silanklasse - Werkstoffe für Formkörper. ISC-Tätigkeitsbericht 1992:61-72
41. Wolter H, Storch W, Ott H (1994) Dental filling materials (posterior composites) based on inorganic/organic copolymers (ORMOCERs). MACRO AKRON:503
42. Wolter H, Storch W, Ott H (1994) New inorganic/organic copolymers (ORMOCERs) for dental applications. Materials Research Society Symposia Proceedings 346:143-149
43. Wolter H (1995) Kompakte Ormocere und Ormocer-Komposite. Fraunhofer-Institut für Silikatforschung (ISC) - Tätigkeitsbericht 1995:56-63
44. Wolter H, Storch W, Schmitzer S et al. (1998) Neue biokompatible Dentalwerkstoffe auf Ormocer-Basis. In: Planck H, Stallforth H (eds) Tagungsband Werkstoffwoche

- 1998, Band 4, Symposium 4: Werkstoffe für die Medizintechnik. Wiley VCH, Weinheim, p 245-248
45. Manhart J, Kunzelmann KH, Chen HY et al. (2000) Mechanical properties and wear behavior of light-cured packable composite resins. *Dental Materials* 16:33-40
 46. Hickel R, Dasch W, Janda R et al. (1998) New direct restorative materials. FDI Commission Project. *Int Dent J* 48:3-16
 47. Moszner N, Völkel T, Cramer Von Clausbruch S et al. (2002) Sol-Gel Materials, 1. Synthesis and Hydrolytic Condensation of New Cross-Linking Alkoxysilane Methacrylates and Light-Curing Composites Based upon the Condensates. *Macromol Mater Eng* 287:339-347
 48. Moszner N, Gianasmidis A, Klapdohr S et al. (2008) Sol-gel materials 2. Light-curing dental composites based on ormocers of cross-linking alkoxysilane methacrylates and further nano-components. *Dent Mater* 24:851-856
 49. Ilie N, Hickel R (2009) Investigations on mechanical behaviour of dental composites. *Clin Oral Investig* 13:427-438
 50. *Dentistry - Polymer-based restorative materials (ISO 4049:2009)*. Beuth-Verlag (2009)
 51. Tomaszewska IM, Kearns JO, Ilie N et al. (2015) Bulk fill restoratives: to cap or not to cap--that is the question? *J Dent* 43:309-316
 52. Moorthy A, Hogg CH, Dowling AH et al. (2012) Cuspal deflection and microleakage in premolar teeth restored with bulk-fill flowable resin-based composite base materials. *J Dent* 40:500-505
 53. Cao C, Kobussen G, Doruff M et al. (2013) Cusp stress analysis between bulk-filled flowable and layered regular composites. *J Dent Res Poster Presentation* (Nr. 176435) at the IADR General Session Seattle, March 20-23, 2013
 54. Francis A, Braxton A, Ahmad W et al. (2015) Cuspal Flexure and Extent of Cure of a Bulk-fill Flowable Base Composite. *Oper Dent publicaation pending*
 55. Ibarra E, Lien W, Vandewalle K et al. (2013) Physical properties of a new sonically activated composite restorative material. *J Dent Res Poster Presentation* (Nr. 170857) at the IADR General Session Seattle, March 20-23, 2013
 56. El-Damanhoury H, Platt J (2014) Polymerization Shrinkage Stress Kinetics and Related Properties of Bulk-fill Resin Composites. *Oper Dent* 39:374-382
 57. Marovic D, Taubock TT, Attin T et al. (2015) Monomer conversion and shrinkage force kinetics of low-viscosity bulk-fill resin composites. *Acta Odontol Scand* 73:474-480
 58. El-Safty S, Silikas N, Watts DC (2012) Creep deformation of restorative resin-composites intended for bulk-fill placement. *Dent Mater* 28:928-935
 59. Petrovic LM, Zorica DM, Stojanac I et al. (2013) A model of the viscoelastic behavior of flowable resin composites prior to setting. *Dent Mater* 29:929-934
 60. Van Ende A, De Munck J, Van Landuyt KL et al. (2013) Bulk-filling of high C-factor posterior cavities: effect on adhesion to cavity-bottom dentin. *Dent Mater* 29:269-277
 61. Roggendorf MJ, Kramer N, Appelt A et al. (2011) Marginal quality of flowable 4-mm base vs. conventionally layered resin composite. *J Dent* 39:643-647
 62. Taschner M, Spallek R, Sommerey M et al. (2013) Marginal Quality of four different bulk-fill composites. *J Dent Res Poster Presentation* (Nr. 174564) at the IADR General Session Seattle, March 20-23, 2013
 63. Acquaviva PA, Brazzoli S, Nembrini E et al. (2013) Marginal adaptation of bulk-fill composites: a microscopical evaluation. *J Dent Res Poster Presentation* (Nr. 177505) at the IADR General Session Seattle, March 20-23, 2013
 64. Miragaya LM, Estevao A, Oliveira SG et al. (2013) Shrinkage evaluation of different composite resins *J Dent Res Poster Presentation* (Nr. 177811) at the IADR General Session Seattle, March 20-23, 2013
 65. Campos EA, Ardu S, Lefever D et al. (2014) Marginal adaptation of class II cavities restored with bulk-fill composites. *J Dent* 42:575-581
 66. Scotti N, Comba A, Gambino A et al. (2014) Microleakage at enamel and dentin margins with a bulk fills flowable resin. *Eur J Dent* 8:1-8

67. Al-Harbi F, Kaisarly D, Michna A et al. (2015) Cervical Interfacial Bonding Effectiveness of Class II Bulk Versus Incremental Fill Resin Composite Restorations. Oper Dent *publicaation pending*
68. Zawawi S, Brulat N, Nathanson D (2012) Curing Mode and Duration Effect on Polymerization Of Bulk-Fill Composites. J Dent Res 91, Special Issue C: Abstract #515
69. Brulat-Bouchard N, Zawawi S, Nathanson D (2012) Effect of LED Curing Units on Properties of Bulk-Fill Composites. J Dent Res 91, Special Issue C: Abstract #516
70. Garcia D, Yaman P, Dennison J et al. (2012) Polymerization Shrinkage and Hardness of Three Bulk Fill Flowable Resins. J Dent Res 91, Special Issue A: Abstract #860
71. Kunduru H, Finkelman M, Doherty EH et al. (2013) Depth of cure of different shades of bulk fill composites J Dent Res Poster Presentation (Nr. 174741) at the IADR General Session Seattle, March 20-23, 2013
72. Goracci C, Cadenaro M, Fontanive L et al. (2014) Polymerization efficiency and flexural strength of low-stress restorative composites. Dent Mater 30:688-694
73. Alrahlah A, Silikas N, Watts DC (2014) Post-cure depth of cure of bulk fill dental resin-composites. Dent Mater 30:149-154
74. Polydorou O, Manolakis A, Hellwig E et al. (2008) Evaluation of the curing depth of two translucent composite materials using a halogen and two LED curing units. Clinical Oral Investigations 12:45-51
75. Li X, Pongprueksa P, Van Meerbeek B et al. (2015) Curing profile of bulk-fill resin-based composites. J Dent
76. Fleming GJ, Awan M, Cooper PR et al. (2008) The potential of a resin-composite to be cured to a 4mm depth. Dental Materials 24:522-529
77. Celik C, Arhun N, Yamanel K (2010) Clinical evaluation of resin-based composites in posterior restorations: 12-month results. Eur J Dent 4:57-65
78. Manhart J, Chen HY, Hickel R (2010) Clinical Evaluation of the Posterior Composite Quixfil in Class I and II Cavities: 4-year Follow-up of a Randomized Controlled Trial. J Adhes Dent 12:237-243
79. Frankenberger R (2012) Klasse-II-Kompositfüllungen in Bulk- und Schichttechnik im Vergleich. Resultate nach sechs Monaten. Bericht zur klinischen Studie über SonicFill (Kerr)
80. Van Dijken JW, Pallesen U (2014) A randomized controlled three year evaluation of "bulk-filled" posterior resin restorations based on stress decreasing resin technology. Dent Mater 30:e245-251
81. Kachalia P, Geissberger M, Gupta A (2011) Clinical Evaluation of Restorations using a New Composite Material and Oscillating Handpiece and Comparing it with Traditional Composite Material and Placement Technique – 6 months recall. SonicFill: Portfolio of Scientific Research (Kerr Corporation):1
82. Van Dijken JW, Pallesen U (2015) Randomized 3-year clinical evaluation of Class I and II posterior resin restorations placed with a bulk-fill resin composite and a one-step self-etching adhesive. J Adhes Dent 17:81-88
83. Tetric EvoCeram Bulk Fill: 1-year clinical performance. The Dental Advisor 30 (Issue 10 / 2013)
84. Peschke A (2013) Ein neues Bulk-Fill-Material in der klinischen Anwendung. DZW Die Zahnarzt Woche Ausgabe 45/2013:10-11
85. Todd JC, Wanner M (2014) Wissenschaftliche Dokumentation Tetric EvoCeram Bulk Fill. Ivoclar Vivadent AG
86. Manhart J, Neuerer P, Hickel R 10-Jahresergebnisse von QuiXfil und Tetric Ceram in einer kontrollierten klinischen Studie. Publication in Preparation
87. Lynch CD, Opdam NJ, Hickel R et al. (2014) Guidance on posterior resin composites: Academy of Operative Dentistry - European Section. J Dent 42:377-383
88. Nazari A, Sadr A, Shimada Y et al. (2012) 3D Void Assessment in Flowable Resin Composites using SS-OCT J Dent Res 91, Special Issue A: Abstract #162
89. Silikas N, Zankuli M, Watts DC (2012) Edge strength of bulk-fill and conventional resin-composites. J Dent Res 91, Special Issue C: Abstract #514

90. Rosentritt M, Preiss V (2014) Wie stabil ist stabil genug? teamwork J Cont Dent Educ 17:42-46
91. Da Rosa Rodolpho PA, Donassollo TA, Cenci MS et al. (2011) 22-Year clinical evaluation of the performance of two posterior composites with different filler characteristics. Dent Mater 27:955-963
92. Van De Sande FH, Da Rosa Rodolpho PA, Basso GR et al. (2015) 18-year survival of posterior composite resin restorations with and without glass ionomer cement as base. Dent Mater 31:669-675
93. Manhart J, Chen H, Hamm G et al. (2004) Review of the clinical survival of direct and indirect restorations in posterior teeth of the permanent dentition. Oper Dent 29:481-508
94. Heintze SD, Rousson V (2012) Clinical effectiveness of direct class II restorations - a meta-analysis. J Adhes Dent 14:407-431
95. Opdam NJ, Van De Sande FH, Bronkhorst E et al. (2014) Longevity of posterior composite restorations: a systematic review and meta-analysis. J Dent Res 93:943-949
96. Opdam NJ, Bronkhorst EM, Loomans BA et al. (2010) 12-year survival of composite vs. amalgam restorations. J Dent Res 89:1063-1067
97. Burke FJ, Palin WM, James A et al. (2009) The current status of materials for posterior composite restorations: the advent of low shrink. Dent Update 36:401-402
98. Lowe RA (2010) The Search for a Low-Shrinkage Direct Composite. Inside Dentistry 6:78-82
99. Seemann R, Pfefferkorn F, Hickel R (2011) Behaviour of general dental practitioners in Germany regarding posterior restorations with flowable composites. Int Dent J 61:252-256
100. Sawlani K, Beck P, Ramp LC et al. (2013) In vitro wear of eight bulk placed and cured composites J Dent Res Poster Presentation (Nr. 174833) at the IADR General Session Seattle, March 20-23, 2013
101. Weinhold HC (2011) Mehr als nur viel Zeit gespart – Wirtschaftlichkeit in der Praxis. DZW Die Zahnarzt Woche Ausgabe 41/2011:13-15
102. Hofmann N (2010) Zeitgemäße Schichttechnik für Komposit im Seitenzahngebiet. Quintessenz 61:567-572