

ZBW-Ausgabe 8-9/2016

Literaturverzeichnis zum Fortbildungsbeitrag

Direkte Restaurationen im Frontzahnbereich,

Teil 2: Präparation und Restauration mit modernen Kompositsystemen

(Prof. Dr. Jürgen Manhart, Poliklinik für Zahnerhaltung und Parodontologie München)

1. Kunzelmann KH Kompositrestaurationen im Frontzahnbereich. In:<http://www.dent.med.uni-muenchen.de/~kkunzelm/infokollegen/frontzahnkomposit/kompositrestaurationen-frontzahnbereich.htm>; retrieved: 2016-07-20
2. Frankenberger R (2009) Direkte Frontzahnfüllungen - Ästhetik und Funktion. In: Schmideder J, Munz T (eds) Farbatlant der Zahnmedizin, Band 15: Ästhetische Zahnmedizin. Thieme Verlag, Stuttgart, p 119-136
3. Hugo B, Lussi A, Hotz P (1992) Die Präparation der Schmelzrandschrägung bei approximalen Kavitäten. Schweiz. Monatsschr. Zahnmed. 102:1181-1188
4. Ikeda T, Uno S, Tanaka T et al. (2002) Relation of enamel prism orientation to microtensile bond strength. Am J Dent 15:109-113
5. Shimada Y, Tagami J (2003) Effects of regional enamel and prism orientation on resin bonding. Oper Dent 28:20-27
6. Heintze SD, Rousson V, Hickel R (2015) Clinical effectiveness of direct anterior restorations - a meta-analysis. Dent Mater 31:481-495
7. Munechika T, Suzuki K, Nishiyama M et al. (1984) A comparison of the tensile bond strengths of composite resins to longitudinal and transverse sections of enamel prisms in human teeth. J Dent Res 63:1079-1082
8. Crawford PJ, Whittaker DK, Owen GM (1987) The influence of enamel prism orientation on leakage of resin-bonded restorations. J Oral Rehabil 14:283-289
9. Peutzfeldt A, Asmussen E (2002) Composite restorations: influence of flowable and self-curing resin composite linings on microleakage in vitro. Oper Dent 27:569-575
10. Staninec M, Mochizuki A, Tanizaki K et al. (1986) Interfacial space, marginal leakage, and enamel cracks around composite resins. Oper Dent 11:14-24
11. Belli S, Inokoshi S, Ozer F et al. (2001) The effect of additional enamel etching and a flowable composite to the interfacial integrity of Class II adhesive composite restorations. Oper Dent 26:70-75
12. Han L, Okamoto A, Iwaku M (1992) The effects of various clinical factors on marginal enamel micro-cracks produced around composite restoration. Dent Mater J 11:26-37
13. Van Noort R (2013) Introduction to Dental Materials (Fourth Edition). Elsevier Mosby, Edinburgh
14. Krueger-Janson U (2009) Eine naturidentische Komposit-Schichttechnik. Komposit ermöglicht kreative Behandlungsstrategien. Swiss Dental Community 2:2-13
15. Fahl N, Jr., Swift EJ, Jr. (1989) The invisible Class IV restoration. J Esthet Dent 1:111-113
16. Krastl G, Weiger R (2010) Frontzahnrestaurationen: Brauchen wir überhaupt Keramik? Quintessenz 61:511-520
17. Lenhard M (2004) Ästhetische Frontzahnfüllungen mit Komposit. Quintessenz 55:961-976

18. Terry DA, Leinfelder KF (2004) An integration of composite resin with natural tooth structure: the Class IV restoration. *Pract Proced Aesthet Dent* 16:235-242; quiz 244
19. Terry DA, Geller W (2004) Selection defines design. *J Esthet Restor Dent* 16:213-225; discussion 226
20. Klaiber B (2016) Noninvasive Behandlungsoptionen. Lückenschluss und Reduktion schwarzer Dreiecke. *NZB Niedersächsisches Zahnärzteblatt* 51:18-23
21. Frese C, Schiller P, Staehle HJ et al. (2013) Recontouring teeth and closing diastemas with direct composite buildups: a 5-year follow-up. *J Dent* 41:979-985
22. Peumans M, Van Meerbeek B, Lambrechts P et al. (1997) The 5-year clinical performance of direct composite additions to correct tooth form and position. I. Esthetic qualities. *Clin Oral Investig* 1:12-18
23. Peumans M, Van Meerbeek B, Lambrechts P et al. (1997) The 5-year clinical performance of direct composite additions to correct tooth form and position. II. Marginal qualities. *Clin Oral Investig* 1:19-26
24. Wolff D, Kraus T, Schach C et al. (2010) Recontouring teeth and closing diastemas with direct composite buildups: a clinical evaluation of survival and quality parameters. *J Dent* 38:1001-1009
25. Wirsching E (2012) Formkorrekturen im Frontzahnbereich mit direkt applizierten Kompositen. *Zahnmedizin up2date* 6:379-399
26. De Araujo EM, Jr., Fortkamp S, Baratieri LN (2009) Closure of diastema and gingival recontouring using direct adhesive restorations: a case report. *J Esthet Restor Dent* 21:229-240
27. Hugo B (2002) Direkte Kompositentechnik zur ästhetischen Korrektur an Frontzähnen. *Inf Orthod Kieferorthop* 34:165-171
28. Hugo B (2002) Form- und Stellungskorrekturen bei Frontzähnen mittels Komposit. *Quintessenz* 53:227-236
29. Willhite C (2005) Diastema closure with freehand composite: controlling emergence contour. *Quintessence Int* 36:138-140
30. Willhite C (1997) Dramatic smile makeovers using direct resin veneers. *Compend Contin Educ Dent* 18:646-650, 652, 654-647
31. Willhite C (2012) Direct Veneers. Section B: Transitional Bonding. In: Freedman G (ed) *Contemporary Esthetic Dentistry*. C. V. Mosby Co., St. Louis, Missouri, p 411-422
32. Gwinnett AJ (1967) The ultrastructure of the „prismless“ enamel of permanent human teeth. *Archives of Oral Biology* 12:381-388
33. Low T, Von Fraunhofer JA, Winter GB (1975) The bonding of a polymeric fissure sealant to topical fluoride-treated teeth. *J Oral Rehabil* 2:303-307
34. Kodaka T, Mori R, Miyakawa M (1993) Sequential observations followed by acid etching on the enamel surfaces of human teeth under scanning electron microscopy at low vacuum. *Microsc Res Tech* 24:429-436
35. Krueger-Janson U (2010) Es muss nicht immer Keramik sein - Ein Praxiskonzept mit Komposit. *Quintessenz* 61:529-536
36. Ernst CP (2009) Frontzahnrestaurationen in überdurchschnittlich belasteten Bereichen. *Cosmetic Dentistry* 7:18-22
37. Lenhard M (2008) Closing diastemas with resin composite restorations. *Eur J Esthet Dent* 3:258-268
38. Ernst CP (2016) Nach Universaladhäsiv: Universalkomposit! *ZMK* 32:364-373
39. Lührs AK (2011) Diastemaschluss mittels direkter Technik im Frontzahnbereich. *Deutsche Zahnärztliche Zeitschrift* 66:628-635

40. Wiechmann D (2000) Lingual orthodontics (Part 3): Intraoral sandblasting and indirect bonding. *J Orofac Orthop* 61:280-291
41. Robles-Ruiz JJ, Arana-Chavez VE, Ciamponi AL et al. (2015) Effects of sandblasting before orthophosphoric acid etching on lingual enamel: in-vitro roughness assessment. *Am J Orthod Dentofacial Orthop* 147:S76-81
42. Van Meerbeek B, Yoshihara K, Yoshida Y et al. (2011) State of the art of self-etch adhesives. *Dent Mater* 27:17-28
43. Rotta M, Bresciani P, Moura SK et al. (2007) Effects of phosphoric acid pretreatment and substitution of bonding resin on bonding effectiveness of self-etching systems to enamel. *J Adhes Dent* 9:537-545
44. Erickson RL, Barkmeier WW, Kimmes NS (2009) Bond strength of self-etch adhesives to pre-etched enamel. *Dent Mater* 25:1187-1194
45. Erickson RL, Barkmeier WW, Latta MA (2009) The role of etching in bonding to enamel: a comparison of self-etching and etch-and-rinse adhesive systems. *Dent Mater* 25:1459-1467
46. Barkmeier WW, Erickson RL, Kimmes NS et al. (2009) Effect of enamel etching time on roughness and bond strength. *Oper Dent* 34:217-222
47. Ertugrul F, Turkun M, Turkun LS et al. (2009) Bond strength of different dentin bonding systems to fluorotic enamel. *J Adhes Dent* 11:299-303
48. Tsujimoto A, Barkmeier WW, Takamizawa T et al. (2016) The Effect of Phosphoric Acid Pre-etching Times on Bonding Performance and Surface Free Energy with Single-step Self-etch Adhesives. *Oper Dent*
49. Rosa WL, Piva E, Silva AF (2015) Bond strength of universal adhesives: A systematic review and meta-analysis. *J Dent* 43:765-776
50. Mclean DE, Meyers EJ, Guillory VL et al. (2015) Enamel Bond Strength of New Universal Adhesive Bonding Agents. *Oper Dent* 40:410-417
51. Lenzi TL, Guglielmi Cde A, Umakoshi CB et al. (2013) One-step self-etch adhesive bonding to pre-etched primary and permanent enamel. *J Dent Child (Chic)* 80:57-61
52. Batra C, Nagpal R, Tyagi SP et al. (2014) In vitro bonding effectiveness of three different one-step self-etch adhesives with additional enamel etching. *J Investig Clin Dent* 5:226-236
53. Van Landuyt KL, Kanumilli P, De Munck J et al. (2006) Bond strength of a mild self-etch adhesive with and without prior acid-etching. *J Dent* 34:77-85
54. Soares CJ, Castro CG, Santos Filho PC et al. (2007) Effect of previous treatments on bond strength of two self-etching adhesive systems to dental substrate. *J Adhes Dent* 9:291-296
55. Hanabusa M, Mine A, Kuboki T et al. (2012) Bonding effectiveness of a new 'multi-mode' adhesive to enamel and dentine. *J Dent* 40:475-484
56. De Goes MF, Shinohara MS, Freitas MS (2014) Performance of a new one-step multi-mode adhesive on etched vs non-etched enamel on bond strength and interfacial morphology. *J Adhes Dent* 16:243-250
57. Wagner A, Wendler M, Petschelt A et al. (2014) Bonding performance of universal adhesives in different etching modes. *J Dent* 42:800-807
58. Munoz MA, Sezinando A, Luque-Martinez I et al. (2014) Influence of a hydrophobic resin coating on the bonding efficacy of three universal adhesives. *J Dent* 42:595-602
59. Magne P, So WS (2008) Optical integration of incisoproximal restorations using the natural layering concept. *Quintessence Int* 39:633-643
60. Felipe LA, Monteiro S, Jr., De Andrada CA et al. (2005) Clinical strategies for success in proximo-incisal composite restorations. Part II: Composite application technique. *J Esthet Restor Dent* 17:11-21

61. Mackenzie L, Parmar D, Shortall AC et al. (2013) Direct anterior composites: a practical guide. *Dent Update* 40:297-308
62. Baez Rosales A, De Nordenflycht Carvacho D, Schlieper Cacciutolo R et al. (2015) Conservative Approach for the Esthetic Management of Multiple Interdental Spaces: A Systematic Approach. *J Esthet Restor Dent* 27:344-354
63. Vanini L (2010) Conservative composite restorations that mimic nature. A step-by-step anatomical stratification technique. *Journal of Cosmetic Dentistry* 26:80-98
64. Milnar FJ (2004) Selecting nanotechnology-based composites using colorimetric and visual analysis for the restoration of anterior dentition: a case report. *J Esthet Restor Dent* 16:89-100; discussion 101
65. Hugo B (2001) Optimale Approximalkontakte: Neue approximale Matrizen- und Aufbautechnik bei Frontzahnfüllungen. *Ästhetische Zahnmedizin* 4:142-150
66. Klaiber B (2006) Alles noninvasiv - Zahnformveränderung, Lückenschluss, Reduktion schwarzer Dreiecke *Zahnärztliche Mitteilungen* 96:52-59
67. Denner W (2006) Ästhetik – minimalinvasiv mit Komposit. *ZMK* 22:644-653
68. Manauta J, Salat A (2012) *Layers - An Atlas of Composite Resin Stratification*. Quintessenza Edizioni, Milan
69. Klaiber B, Hugo B, Hofmann N (2001) Improving Outcome: Anterior Restorations. In: Roulet JF, Wilson NHF, Fuzzi M (eds) *Advances in Operative Dentistry. Volume 2: Challenges of the Future*. Quintessence Publishing Co, Inc, Chicago, p 185-196
70. Lesage BP (2007) Aesthetic anterior composite restorations: a guide to direct placement. *Dent Clin North Am* 51:359-378
71. Putignano A, Ernst CP (2005) *Ästhetik-Compendium. Leitfaden für hochwertige ästhetische Restaurationen*.
72. Terry DA (2004) Developing natural aesthetics with direct composite restorations. *Pract Proced Aesthet Dent* 16:45-52; quiz 54