

Literaturverzeichnis zum Fortbildungsbeitrag Kieferorthopädisch-kieferchirurgischen Therapie Virtuelle Dreidimensionale Planung und patientenspezifische Implantate

(Prof. Dr. Dr. Christian Freudlsperger, Klinik und Poliklinik für Mund-, Kiefer- und Gesichtschirurgie, Universitätsklinikum Heidelberg

Priv.-Doz. Dr. Sebastian Zingler, Poliklinik für Kieferorthopädie, Universitätsklinikum Heidelberg)

1. Bouchard, C. and P. Landry (2013). "Precision of maxillary repositioning during orthognathic surgery: a prospective study." *Int J Oral Maxillofac Surg* 42(5): 592-596.
2. De Vos, W., J. Casselman and G. R. Swennen (2009). "Cone-beam computerized tomography (CBCT) imaging of the oral and maxillofacial region: a systematic review of the literature." *Int J Oral Maxillofac Surg* 38(6): 609-625.
3. Gander, T., M. Bredell, T. Eliades, M. Rücker and H. Essig (2015). "Splintless orthognathic surgery: a novel technique using patient-specific implants (PSI)." *J Craniomaxillofac Surg* 43(3): 319-322.
4. Guijarro-Martínez, R. and G. R. Swennen (2013). "Three-dimensional cone beam computed tomography definition of the anatomical subregions of the upper airway: a validation study." *Int J Oral Maxillofac Surg* 42(9): 1140-1149.
5. Hernández-Alfaro, F. and R. Guijarro-Martínez (2013). "New protocol for three-dimensional surgical planning and CAD/CAM splint generation in orthognathic surgery: an in vitro and in vivo study." *Int J Oral Maxillofac Surg* 42(12): 1547-1556.
6. Huang, J., A. Bumann and J. Mah (2005). "Three-dimensional radiographic analysis in orthodontics." *J Clin Orthod* 39(7): 421-428.
7. Kraeima, J., J. Jansma and R. H. Schepers (2016). "Splintless surgery: does patient-specific CAD-CAM osteosynthesis improve accuracy of Le Fort I osteotomy?" *Br J Oral Maxillofac Surg* 54(10): 1085-1089.
8. Mazzoni, S., A. Bianchi, G. Schiariti, G. Badiali and C. Marchetti (2015). "Computer-aided design and computer-aided manufacturing cutting guides and customized titanium plates are useful in upper maxilla waferless repositioning." *J Oral Maxillofac Surg* 73(4): 701-707.

9. Olszewski, R. and H. Reychler (2004). "[Limitations of orthognathic model surgery: theoretical and practical implications]." *Rev Stomatol Chir Maxillofac* 105(3): 165-169.
10. Plooij, J. M., T. J. Maal, P. Haers, W. A. Borstlap, A. M. Kuijpers-Jagtman and S. J. Bergé (2011). "Digital three-dimensional image fusion processes for planning and evaluating orthodontics and orthognathic surgery. A systematic review." *Int J Oral Maxillofac Surg* 40(4): 341-352.
11. Schouman, T., P. Rouch, B. Imholz, J. Fasel, D. Courvoisier and P. Scolozzi (2015). "Accuracy evaluation of CAD/CAM generated splints in orthognathic surgery: a cadaveric study." *Head Face Med* 11: 24.
12. Suojanen, J., J. Leikola and P. Stoor (2016). "The use of patient-specific implants in orthognathic surgery: A series of 32 maxillary osteotomy patients." *J Craniomaxillofac Surg* 44(12): 1913-1916.
13. Swennen, G. R., W. Mollemans and F. Schutyser (2009). "Three-dimensional treatment planning of orthognathic surgery in the era of virtual imaging." *J Oral Maxillofac Surg* 67(10): 2080-2092.
14. Swennen, G. R., M. Y. Mommaerts, J. Abeloos, C. De Clercq, P. Lamoral, N. Neyt, J. Casselman and F. Schutyser (2007). "The use of a wax bite wafer and a double computed tomography scan procedure to obtain a three-dimensional augmented virtual skull model." *J Craniofac Surg* 18(3): 533-539.
15. Swennen, G. R. and F. Schutyser (2006). "Three-dimensional cephalometry: spiral multi-slice vs cone-beam computed tomography." *Am J Orthod Dentofacial Orthop* 130(3): 410-416.
16. Xia, J., N. Samman, R. W. Yeung, S. G. Shen, D. Wang, H. H. Ip and H. Tideman (2000). "Three-dimensional virtual reality surgical planning and simulation workbench for orthognathic surgery." *Int J Adult Orthodon Orthognath Surg* 15(4): 265-282.