

Literaturverzeichnis zum Fortbildungsbeitrag

Keramikveneers: minimale Präparation, maximale Wirkung (Teil 2)

Aspekte der Veneerpräparation

(Prof. Dr. Jürgen Manhart, Poliklinik für Zahnerhaltung und Parodontologie München)

1. Mangani, F., et al., *Clinical approach to anterior adhesive restorations using resin composite veneers*. Eur J Esthet Dent, 2007. **2**(2): p. 188-209.
2. Swift, E.J., Jr. and M.J. Friedman, *Critical appraisal. Porcelain veneer outcomes, part I*. J Esthet.Restor.Dent, 2006. **18**(1): p. 54-57.
3. Arnetzl, G.V. and G. Arnetzl, *Design of preparations for all-ceramic inlay materials*. Int J Comput Dent, 2006. **9**(4): p. 289-98.
4. Arnetzl, G.V. and G. Arnetzl, *Biomechanical examination of inlay geometries--is there a basic biomechanical principle?* Int J Comput Dent, 2009. **12**(2): p. 119-30.
5. *Brevier Technische Keramik (Herausgegeben vom Verband der Keramischen Industrie e.V.)*. Vol. 4. Auflage. 2003, Nürnberg: Verlag Hans Carl.
6. Castelnovo, J., et al., *Fracture load and mode of failure of ceramic veneers with different preparations*. J Prosthet Dent, 2000. **83**(2): p. 171-80.
7. Walls, A.W., J.G. Steele, and R.W. Wassell, *Crowns and other extra-coronal restorations: porcelain laminate veneers*. Br Dent J, 2002. **193**(2): p. 73-6, 79-82.
8. Robbins, J.W., *Porcelain veneers*, in *Fundamentals of Operative Dentistry. A Contemporary Approach. (2nd Ed.)*, J.B. Summit, J.W. Robbins, and R.S. Schwartz, Editors. 2001, Quintessence Publishing Co, Inc: Chicago. p. 427-450.
9. Nash, R.W., *The contact lens porcelain veneer*. Dent Today, 2003. **22**(5): p. 56-59.
10. Sharma, S., G. Kugel, and L. Hamburg, *Successful veneers. Preparation is the critical factor in a successful treatment outcome*. Inside Dentistry, 2010. **6**(7): p. 76-79.
11. Ernst, K.K., *Lichtspiele*, in *Kompodium Dental. Klinische und technische Fallstudien.*, S.M. Beschnidt, et al., Editors. 2004, Verlag Neuer Merkur GmbH: München. p. 95-124.
12. Kani, A., *Ästhetische Versorgung einer Patientin nach dem Veneer-Kronen-Konzept*. Quintessenz Zahntech, 2010. **36**(3): p. 374-380.
13. Mütterthies, K., G. Körner, and T. Minami, *Noninvasiv - Minimalinvasiv - Invasiv 2011*, Berlin: Quintessenz Verlags-GmbH.
14. Hajmasy, A. and H. Schorn, *Maximaler Substanzerhalt bei maximaler Ästhetik*. Quintessenz Zahntech, 2010. **36**(3): p. 352-356.

15. Gütges, A., *Additional Veneers. Drei Wege, ein Ergebnis!?* Quintessenz Zahntech, 2010. **36**(3): p. 302-316.
16. Mütterthies, K., *Additio ad naturam. Möglichkeiten einer noninvasiven Veneer-Behandlung.* Quintessenz Zahntech, 2010. **36**(3): p. 366-373.
17. Rouse, J.S., *Full veneer versus traditional veneer preparation: a discussion of interproximal extension.* Journal of Prosthetic Dentistry, 1997. **78**(6): p. 545-549.
18. Edelhoff, D. and J.A. Sorensen, *Tooth structure removal associated with various preparation designs for anterior teeth.* J Prosthet Dent, 2002. **87**(5): p. 503-9.
19. Van Meerbeek, B., et al., *The clinical performance of adhesives.* J Dent, 1998. **26**: p. 1-20.
20. Ozer, F. and M.B. Blatz, *Self-etch and etch-and-rinse adhesive systems in clinical dentistry.* Compend Contin Educ Dent, 2013. **34**(1): p. 12-18.
21. Xu, H.H., et al., *Indentation damage and mechanical properties of human enamel and dentin.* J Dent Res, 1998. **77**(3): p. 472-80.
22. Meredith, N., et al., *Measurement of the microhardness and Young's modulus of human enamel and dentine using an indentation technique.* Arch Oral Biol, 1996. **41**(6): p. 539-45.
23. Hajto, J. and U. Gehringer, *Individuell variierende Präparationstiefe und Schichttechnik bei Frontzahnveneers.* Quintessenz Zahntechnik, 2011. **37**(8): p. 990-1000.
24. Magne, P. and M. Magne, *Use of additive waxup and direct intraoral mock-up for enamel preservation with porcelain laminate veneers.* Eur J Esthet.Dent, 2006. **1**(1): p. 10-19.
25. Nordbo, H., N. Rygh-Thoresen, and T. Henaug, *Clinical performance of porcelain laminate veneers without incisal overlapping: 3-year results.* J Dent, 1994. **22**(6): p. 342-345.
26. Strassler, H.E. and D. Nathanson, *Clinical evaluation of etched porcelain veneers over a period of 18 to 42 months.* J Esthet Dent, 1989. **1**(1): p. 21-28.
27. Magne, P. and U. Belser, *Bonded Porcelain Restorations in the Anterior Dentition. A Biomimetic Approach.* 2002, Berlin: Quintessence Publishing Inc.
28. Magne, P. and U.C. Belser, *Novel porcelain laminate preparation approach driven by a diagnostic mock-up.* J Esthet Restor Dent, 2004. **16**(1): p. 7-16.
29. Sheets, C.G. and T. Taniguchi, *Advantages and limitations in the use of porcelain veneer restorations.* J Prosthet Dent, 1990. **64**(4): p. 406-11.
30. Peumans, M., et al., *Porcelain veneers: a review of the literature.* J Dent, 2000. **28**(3): p. 163-177.
31. Friedman, M.J., *The enamel ceramic alternative: porcelain veneers vs metal ceramic crowns.* J Calif Dent Assoc, 1992. **20**: p. 27-33.
32. Peumans, M., et al., *Five-year clinical performance of porcelain veneers.* Quintessence Int, 1998. **29**(4): p. 211-221.
33. Kihn, P.W. and D.M. Barnes, *The clinical longevity of porcelain veneers: a 48-month clinical evaluation.* The Journal of the American Dental Association, 1998. **129**(6): p. 747-752.

34. Layton, D. and T. Walton, *An up to 16-year prospective study of 304 porcelain veneers*. Int J Prosthodont., 2007. **20**(4): p. 389-396.
35. Jordan, A., *Clinical aspects of porcelain laminate veneers: considerations in treatment planning and preparation design*. J Calif Dent Assoc, 2015. **43**(4): p. 199-202.
36. Magne, P., et al., *Clinical performance of novel-design porcelain veneers for the recovery of coronal volume and length*. Int J Periodontics Restorative Dent, 2000. **20**(5): p. 440-457.
37. Stappert, C.F., et al., *Longevity and failure load of ceramic veneers with different preparation designs after exposure to masticatory simulation*. J Prosthet.Dent, 2005. **94**(2): p. 132-139.
38. Troedson, M. and T. Derand, *Effect of margin design, cement polymerization, and angle of loading on stress in porcelain veneers*. J Prosthet.Dent, 1999. **82**(5): p. 518-524.
39. Shaini, F.J., A.C. Shortall, and P.M. Marquis, *Clinical performance of porcelain laminate veneers. A retrospective evaluation over a period of 6.5 years*. J Oral Rehabil., 1997. **24**(8): p. 553-559.
40. Smales, R.J. and F.C.S. Chu, *Porcelain laminate veneers for dentists and technicians*. 1999, New Delhi, India: Jaypee Brothers Medical Publishers Ltd.
41. Magne, P., M. Magne, and U. Belser, *The esthetic width in fixed prosthodontics*. J Prosthodont, 1999. **8**(2): p. 106-18.
42. Dumfahrt, H., *Porcelain laminate veneers. A retrospective evaluation after 1 to 10 years of service: Part I--Clinical procedure*. Int J Prosthodont, 1999. **12**(6): p. 505-13.
43. Magne, P. and W.H. Douglas, *Additive contour of porcelain veneers: a key element in enamel preservation, adhesion, and esthetics for aging dentition*. J Adhes Dent, 1999. **1**(1): p. 81-92.
44. Hugo, B., *[Oscillating procedures in the preparation technic (I)] Oszillierende Verfahren in der Präparationstechnik (Teil I)*. Schweiz. Monatsschr. Zahnmed., 1999. **109**(2): p. 140-160.
45. Faus-Matoses, I. and F. Sola-Ruiz, *Dental preparation with sonic vs high-speed finishing: analysis of microleakage in bonded veneer restorations*. J Adhes Dent, 2013.
46. Carvalho, C.A., et al., *The use of CVD diamond burs for ultraconservative cavity preparations: a report of two cases*. J Esthet Restor Dent, 2007. **19**(1): p. 19-28; discussion 29.
47. D'Arcangelo, C., et al., *Clinical evaluation on porcelain laminate veneers bonded with light-cured composite: results up to 7 years*. Clin Oral Investig, 2012. **16**(4): p. 1071-9.
48. Magne, P. and W.H. Douglas, *Interdental design of porcelain veneers in the presence of composite fillings: finite element analysis of composite shrinkage and thermal stresses*. Int J Prosthodont, 2000. **13**(2): p. 117-24.
49. Priest, G., *Proximal margin modifications for all-ceramic veneers*. Pract. Proced. Aesthet. Dent., 2004. **16**(4): p. 265-272.
50. Chen, J.H., et al., *Clinical evaluation of 546 tetracycline-stained teeth treated with porcelain laminate veneers*. J Dent, 2005. **33**(1): p. 3-8.

51. Garcia-Baeza, D., R. Garcia-Adamez, and C. Saavedra, *Soft and hard tissue management in the treatment of a discolored single tooth in the esthetic zone*. Int J Esthet Dent, 2017. **12**(1): p. 28-40.
52. Gurel, G., *Predictable and Precise Tooth Preparation Techniques For Porcelain Laminate Veneers (PLVs) in Complex Cases*. Oral Health Journal, 2007. **8**(4): p. 14-27.
53. Boksman, L. and B. Carson, *Aesthetic veneer restoration of an anterior dentition postorthodontics complicated by ankylosis*. Dent Today, 2005. **24**(11): p. 106-110.
54. Helvey, G.A., *Porcelain Laminate Veneer Preparations: The Additive Contour Technique*. Inside Dentistry, 2009. **5**(1): p. 74-78.
55. Barghi, N. and E. McAlister, *Porcelain for veneers*. J Esthet Dent, 1998. **10**(4): p. 191-7.
56. Hajto, J. and C. Marinescu, *An esthetic challenge: isolated areas of high translucency in laminate veneers*. Eur J Esthet Dent, 2012. **7**(3): p. 282-94.
57. Nixon, R.L., *Masking severely tetracycline-stained teeth with ceramic laminate veneers*. Pract Periodontics Aesthet Dent, 1996. **8**(3): p. 227-35; quiz 237.
58. Meijering, A.C., et al., *Dimensional changes during veneering procedures on discoloured teeth*. J Dent, 1998. **26**: p. 569-576.
59. Griffin, J.D., *Excellence in photography: heightening dentist-ceramist communication*. Dent Today, 2009. **28**(7): p. 124-127.
60. Kern, M., et al., *Vollkeramik auf einen Blick. Leitfaden zur Indikation, Werkstoffauswahl, Vorbereitung und Eingliederung von vollkeramischen Restaurationen*. 6. Auflage ed. 2015, Ettlingen: AG für Keramik in der Zahnheilkunde e.V.
61. Vanlioğlu, B.A. and Y. Kulak-Özkan, *Minimally invasive veneers: current state of the art*. Clinical, Cosmetic and Investigational Dentistry, 2014. **6**: p. 101-107.
62. Gurel, G., *Discovering the artist inside: a three-step approach to predictable aesthetic smile designs, Part I*. Dent Today, 2013. **32**(5): p. 74, 76-8.
63. Archangelo, C.M., et al., *Laminate veneers in premolars: nonlinear study using 3-D FEA*. Journal of Dental Research, 2009. **88**, **Special Issue A, Abstract No. 3321**.
64. Javaheri, D., *Considerations for planning esthetic treatment with veneers involving no or minimal preparation*. The Journal of the American Dental Association, 2007. **138**(3): p. 331-337.
65. McLaren, E.A. and B. LeSage, *Feldspathic Veneers: What Are Their Indications?* Compend Contin Educ Dent, 2011. **32**(3): p. 44-49.
66. Kunzelmann, K.H., *"Tenuia"-Veneers: dünn gepresst - Indikation auf "dünnem Eis" (Interview)*. Deutsche Zahnärztliche Zeitschrift, 2009. **64**(10): p. 587-588.
67. DiMatteo, A.M., *Prep vs No-Prep: The Evolution of Veneers*. Inside Dentistry, 2009. **5**(6): p. 72-79.

68. Kunzelmann, K.H. and M. Kern, *Wunsch und Wirklichkeit: Bewertung von prep-freien "Tenuia"-Veneers und ihre Grenzen in der Praxis*. Deutsche Zahnärztliche Zeitschrift, 2009. **64**(10): p. 582-586.
69. Cherukara, G.P., et al., *A study into the variations in the labial reduction of teeth prepared to receive porcelain veneers--a comparison of three clinical techniques*. Br Dent J, 2002. **192**(7): p. 401-404.
70. Sheets, C.G., *The periodontal-restorative interface: enhancement through magnification*. Pract Periodontics Aesthet Dent, 1999. **11**(8): p. 925-931.
71. Guess, P.C. and C.F. Stappert, *Midterm results of a 5-year prospective clinical investigation of extended ceramic veneers*. Dental Materials, 2008. **24**(6): p. 804-813.
72. Clelland, N.L., et al., *Influence of bond quality on failure load of leucite- and lithia disilicate-based ceramics*. J Prosthet Dent, 2007. **97**(1): p. 18-24.
73. Chadwick, R.G., J.F. McCabe, and T.E. Carrick, *Rheological properties of veneer trial pastes relevant to clinical success*. Br Dent J, 2008. **204**(6): p. E11.
74. Xing, W., et al., *Evaluation of the esthetic effect of resin cements and try-in pastes on ceromer veneers*. J Dent, 2010. **38 Suppl 2**: p. e87-e94.
75. Omar, H., et al., *Effect of CAD-CAM Porcelain Veneers Thickness on Their Cemented Color*. J Dent, 2010. **38 Suppl, 2**: p. e95-e99.
76. Zhang, F., Y. Zhao, and M.E. Razzoog, *Effect of layering feldspathic porcelain on resulting veneer color with aluminum oxide core*. Zhonghua Kou Qiang Yi Xue Za Zhi, 2002. **37**(3): p. 206-209.
77. Winter, R., *Visualizing the natural dentition*. J Esthet Dent, 1993. **5**(3): p. 102-117.
78. Schroeder, H.E., *Pathobiologie oraler Strukturen*. 1991, Basel: Karger-Verlag.
79. Hall, N.R. and M.C. Kafalias, *Composite colour matching: the development and evaluation of a restorative colour matching system*. Aust Prosthodont J, 1991. **5**: p. 47-52.
80. Friedman, M.J., *Current state-of-the-art porcelain veneers*. Curr. Opin. Cosmet. Dent., 1993: p. 28-33.
81. Aristidis, G.A. and B. Dimitra, *Five-year clinical performance of porcelain laminate veneers*. Quintessence.Int., 2002. **33**(3): p. 185-189.
82. Dumfahrt, H. and H. Schäffer, *Porcelain laminate veneers. A retrospective evaluation after 1 to 10 years of service: Part II--Clinical results*. The International Journal of Prosthodontics, 2000. **13**(1): p. 9-18.
83. Wylie, S.G., H.K. Tan, and K. Brooke, *Restoring the vertical dimension of mandibular incisors with bonded ceramic restorations*. Australian Dental Journal, 2000. **45**: p. 91-96.
84. Friedman, M.J., *A 15-year review of porcelain veneer failure - a clinician's observations*. Compendium of Continuing Education in Dentistry, 1998. **19**: p. 625-636.